



Turnout Gear Configuration

VIKING SHIELD - PS1200 & PS1250

Company Name / Fire Department:

Address:

Delivery Address:

E-mail:

Phone:

Fax:

Number of Sets:

Approval Signature:

PO Number:

Your Ref:

Our Ref:

Order Information

Suit / Coat / Pants	Color options
<input type="checkbox"/> Complete Suit <input type="checkbox"/> Coat <input type="checkbox"/> Pants	<input type="checkbox"/> Single color <input type="checkbox"/> Duo color



Fabric

Outer Shell	Moisture Barrier
<input type="checkbox"/> Sigma Twill <input type="checkbox"/> Tan <input type="checkbox"/> Black <input type="checkbox"/> Dark navy blue <input type="checkbox"/> Black/tan	<input type="checkbox"/> CROSSTECH® S/R

Trim Styles

Trim Color	Trim Styles - Coat	Trim Styles - Pants
<input type="checkbox"/>  <input type="checkbox"/>  <input type="checkbox"/> 3M™ FR Comfort trim	New York 	New York / NFPA Basic (Included in base price) 

Lettering

Color	Size	Lines	Placement	
Department tag <input type="checkbox"/> None			 	
<input type="checkbox"/> A	<input type="checkbox"/> 2"	<input type="checkbox"/> 1 line, straight (10 letters) <input type="checkbox"/> 1 line, arched (10 letters)		<input type="checkbox"/> 2 lines, straight (20 letters, 10 on each line) <input type="checkbox"/> 2 lines, arched (20 letters, 10 on each line)
<input type="checkbox"/> A	<input type="checkbox"/> 3"	<input type="checkbox"/> 1 line, straight (8 letters) <input type="checkbox"/> 1 line, arched (8 letters)		<input type="checkbox"/> 2 lines, straight (15 letters, 8 on top line and 7 on bottom line)
Name tag sewn on <input type="checkbox"/> None				
<input type="checkbox"/> A	<input type="checkbox"/> 2"	<input type="checkbox"/> 1 line, straight (14 letters)		
<input type="checkbox"/> A	<input type="checkbox"/> 3"	<input type="checkbox"/> 1 line, straight (10 letters)		
Name tag detachable <input type="checkbox"/> None				
<input type="checkbox"/> A	<input type="checkbox"/> 2"	<input type="checkbox"/> 1 line, straight (14 letters)		
<input type="checkbox"/> A	<input type="checkbox"/> 3"	<input type="checkbox"/> 1 line, straight (10 letters)	-	

Optional Features

Coat

Length

- 30" 32" 34"

Coat closure

- Plastic QR zipper and velcro
 Plastic zipper & velcro

Elbow reinforcement

- Outer
 Kevlar

Chest pockets

- None
 Int. Pockets w snap fasteners

Accessories on left front

- None
 Light strap with pant hook
 Light strap with mic clip

Accessories on right front

- None
 Light strap with pant hook
 Light strap with mic clip

Pants

Side pockets

- None
 Int. side pockets with zipper

Leg intake

- None
 Webbing intake outer leg

Expansion

- None
 Zipper expansion leg

Suspenders

- Standard
Black



- Standard
Red



- Padded
V-mesh
Red



- Surpreme
H back
Black
No trim



- Surpreme
H back
Black
Yellow trim



- Surpreme
H back
Black
Red trim



- No suspenders



Special Instructions

VIKING SHIELD

Multi-purpose Durability and Comfort

Material

- Outer shell made of Sigma 7.0 with a snap-in moisture barrier of GORE™ Crosstech® S/R
- Colors: tan, black, dark navy or dual color tan/black

Jacket (PS1200)

- Two inside chest pockets with snaps
- Two side pockets with zippers
- Pre-bent elbows with Para Aramid reinforcements
- High quality wristlets of Dupont™ Nomex®
- Curved hemline at sleeve with an intake for optimal freedom of movement
- 3M® FR Comfort Trim in high visibility orange or yellow
- Name tag with 2" or 3" letters

Pants (PS1250)

- Box pockets on each thigh
- Two side pockets with zippers
- Reinforcements of Para Aramid on knees and bottom cuffs
- Intake on waist
- Reverse boot cut
- Intake at hem and zipper up the calf for good fit and easy donning

Approvals

- NFPA 1951, Protective Ensembles for Technical Rescue Incidents including Optional Blood-borne Pathogen Protection
- NFPA 1977, Protective Clothing and Equipment for Wildland Fire Fighting



Pre-bent knees and elbows for added comfort and flexibility. Reinforcements of Para Aramid on the knees, elbows and jacket and pant cuffs.



Scotchlite®
Reflective Material

VIKING LIFE-SAVING EQUIPMENT (AMERICAS) INC.

1141 Ingleside Road, Norfolk, VA 23502
Tel.: (800) 727-2628, (757) 855-2233, Fax: (757) 855-7533, USAFIRE@VIKING-life.com

WWW.VIKING-FIRE.COM